



EUROTECH[®]
The Real Reliable

Smart Choice
FOR PURE & SAFE
DRINKING WATER



www.eurotechappliance.com

Goodness
OF PURE WATER
WITH COPPER



SMART
LED
INDICATOR





Meghna RO + Alkline

Filtration Stage

- Pre Filter
- Inline Sediment Filter
- Inline Carbon Filter
- Membrane
- Alkaline
- Fully Automatic

Technical Specification

- 100 GPD Pump
- 24 VDC smps
- Storage 18 Ltr.
- Flow 12-15 ltr. LPH
- Inlet Pressure 3 kg
- TDS Recomand 2000 ppm
- Weight 10kg

MRP-16500/-



Fronix + UV + UF+ RO + Copper



Filtration Stage

- Pre Filter
- Inline Sediment Filter
- Inline Carbon Filter
- Membrane
- Ultra violet
- UF
- TDS Adjuster
- Copper Filter
- Fully Automatic

Technical Specification

- 100 GPD Pump
- 24 VDC smps
- Storage 9 Ltr.
- Flow 12-15 ltr. LPH
- Inlet Pressure 3 kg
- TDS Recomand 2000 ppm
- Weight 10kg

MRP-18500/-





Crown Plus Alkaline RO+UV+UF

Filtration Stage

- Pre Filter
- Inline Sediment Filter
- Inline Carbon Filter
- Membrane
- Ultra violet
- UF
- TDS Adjuster
- Fully Automatic

Technical Specification

- 100 GPD Pump
- 24 VDC smps
- Storage 12 Ltr.
- Flow 12-15 ltr. LPH
- Inlet Pressure 3 kg
- TDS Recomand 2000ppm
- Weight 10kg
-

MRP-18500/-



Meghna RO + UV + UF+ TDS

Filtration Stage

- Pre Filter
- Inline Sediment Filter
- Inline Carbon Filter
- Membrane
- Ultra violet
- UF
- TDS Adjuster
- Fully Automatic

Technical Specification

- 100 GPD Pump
- 24 VDC smps
- Storage 18 Ltr.
- Flow 12-15 ltr. LPH
- Inlet Pressure 3 kg
- TDS Recomand 2000 ppm
- Weight 10kg

MRP-18500/-





Meghna RO + UV + UF+ Copper

Filtration Stage

- Pre Filter
- Inline Sediment Filter
- Inline Carbon Filter
- Membrane
- Ultra violet
- UF
- TDS Adjuster
- Copper Filter
- Fully Automatic

Technical Specification

- 100 GPD Pump
- 24 VDC smps
- Storage 18 Ltr.
- Flow 12-15 ltr. LPH
- Inlet Pressure 3 kg
- TDS Recomand 2000 ppm
- Weight 10kg

MRP-20500/-



Meghna RO + UV + UF+ Alkline + Copper + Zinc

Filtration Stage

- Pre Filter
- Inline Sediment Filter
- Inline Carbon Filter
- Membrane
- Ultra violet
- UF
- TDS Adjuster
- Alkline, Copper, Zinc Filter
- Fully Automatic

Technical Specification

- 100 GPD Pump
- 24 VDC smps
- Storage 18 Ltr.
- Flow 12-15 ltr. LPH
- Inlet Pressure 3 kg
- TDS Recomand 2000 ppm
- Weight 10kg

MRP-22500/-

